



# ULTRA EXHAUST CEILING FANS

*Your high performance, low noise exhaust fans for enclosed spaces.*

**SIGRIST  
DESIGN** PTY. LTD.

*Sigrist Design is an Australian owned and operated company with over 30 years of experience designing and manufacturing custom ventilation solutions.*

---

With a head office and manufacturing facility located in Wacol Queensland, dust management and air filtration products are our focus. The Sigrist Design team has experienced design engineers, sheet metal fabricators, welders and site installation crews.

Predominantly dealing in ventilation, fans, air filtration and dust collection with a majority of products being manufactured in house, we design and manufacture for industrial, commercial, building and construction markets. Our team of salespeople, workshop technicians and engineers are experienced in these fields and more than capable of tackling different and challenging design problems that lie within our diverse manufacturing capabilities.



# CEILING EXHAUST FANS

## BENEFITS



UP TO 482 M<sup>3</sup>/H



FROM 57w



FROM 36 dBA



IPX4



## FEATURES



Ultra-modern design



Ultra comfort lighting when using decorative panels with integrated LED light



Ultra high efficiency thanks to the forward curved impeller



Ultra low resistance of the integrated back draft damper



Plug included for fast and efficient installation.




Ultra silent operation thanks to the optimised casing design



Ultra easy installation and service thanks to optimized construction



Ultra trouble-free with 5 years' warranty



Replaceable decorative panels allow you to have a modern design in any style at any time.



High performance design with low noise, good airflow and high pressure.


# TECHNICAL DATA

## TECHNICAL DATA



MODEL	ULTRA 250
Frequency [Hz]	50
Fan power (Watts)	220-240
Fan full load amps	57
Max airflow ( L/sec / M <sub>3</sub> /Hr)	0.25
Sound pressure level (dba@3 mtrs)	134 L/sec / 482 M <sub>3</sub> /Hr
	36

\*Sound pressure level measured in free space at a distance of 3 meters from the fan.

## OVERALL DIMENSIONS [MM]



## MOUNTING



## OPTIONS

The fan can be equipped with a turn-off delay timer (T)

## LED LIGHT CHARACTERISTICS

POWER INPUT [W]	LUMINOUS POWER [LM]	COLOR TEMPERATURE [K]	BEAM ANGLE
12	1000	3000 - 6000	120

## ORDERING INFORMATION

PART NUMBER	MODEL	DESCRIPTION
BLAULTRA	Ultra 250	300 mm Round Fan Housing
BLAULTRAT	Ultra 250 T	300 mm Round Fan Housing With Timer
BLAULTRASQGRILLE DP	Ultra 250 Square	Square Grille – White
BLAULTRAROGRILLE DP	Ultra 250 Round	Round Grille – White
BLAULTRASQGRILLEBK DP	Ultra 250 Square Black	Square Grille – Black
BLAULTRAROGRILLEBK DP	Ultra 250 Round Black	Round Grille – Black
BLAULTRASQGRILLELED	DP Ultra 250 Square Tri-Colour Light	Square Grille – White With LED
BLAULTRAROGRILLELED	DP Ultra 250 Round Tri-Colour Light	Round Grille – White With LED

## DECORATIVE PANELS



DP ULTRA 250  
ROUND



DP ULTRA 250  
ROUND BLACK



DP ULTRA 250 ROUND  
TRI-COLOUR LIGHT



DP ULTRA 250  
SQUARE BLACK



DP ULTRA 250  
SQUARE



DP ULTRA 250  
SQUARE TRI-COLOUR  
LIGHT



# SIGRIST DESIGN PTY. LTD.

## HEAD OFFICE

63 Westgate Street, Wacol,  
QLD, 4076 Australia

## EMAIL

[sales@sigristdesign.com.au](mailto:sales@sigristdesign.com.au)

## PHONE

07 3271 4415

[WWW.SIGRISTDESIGN.COM.AU](http://WWW.SIGRISTDESIGN.COM.AU)

